

**IN THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in this application:

1. - 32. (Canceled)

--33. (Amended)      A recliner seat of the type to be used in conjunction with existing tree stand support systems, said recliner seat comprising:

        a rectangular support frame including upper and lower members;

        a plurality of fittings positioned on said support frame; and

        a substantially rectangular sling seat including flexible elements extending  
                from its upper and lower corners;

wherein said upper and lower members are configured for connecting said  
recliner seat with an existing tree stand support system; and

        wherein said plurality of fittings on said support frame are configured for  
removably attaching said flexible elements of said sling seat.

34. (Previously Presented)      A recliner seat according to claim 33, wherein said sling seat comprises flexible material.

35. (Previously Presented) A recliner seat according to claim 33, wherein said rectangular support frame is of a tubular type material capable of supporting the weight of a user, wherein said support frame comprises means for securing a plurality of said fittings to upper corners of said upper member of said support frame and means for securing a plurality of said fittings to said lower member of said support frame to enable said fittings to engage said rectangular sling seat.

36. (Previously Presented) A recliner seat according to claim 33, wherein said sling seat is positioned inside of said rectangular support frame.

37. (Previously Presented) A recliner seat according to claim 33, wherein said fittings on said lower member of said support frame each have a plurality of positions for supporting said flexible elements extending from said lower corners of said sling seat such that a plurality of seating configurations may be chosen by a user.

38. (Cancelled)

39. (Amended) A recliner seat according to claim 37, wherein said rectangular sling seat contains means for attaching ~~is capable of attachment~~ and detaching ~~detachment~~ to said fittings on said lower member of said rectangular support frame allowing said user to sit in a plurality of positions and allowing said sling seat to be removed from said fittings on said lower member for standing on said existing tree stand support systems.

40. (Previously Presented) A recliner seat according to claim 34, wherein said material is of the type capable of supporting a user.

41. (Previously Presented) A recliner seat according to claim 33, wherein said rectangular support frame further comprises means for attaching said lower member of said support frame to said existing tree stand support system.

42. (Cancelled)

43. (Previously Presented) A recliner seat according to claim 33, wherein said flexible elements comprise knobs.

44. - 49. (Cancelled)

50. (Amended) A recliner seat of the type to be used in conjunction with existing tree stand support systems, said seat comprising:

a flexible sling seat including attachment elements extending from its upper and lower corners;

at least one upper frame member comprising a plurality of fittings for securing said upper corners of said sling seat; and

at least one lower frame member comprising a plurality of fittings for securing said lower corners of said sling seat;

wherein said upper and lower members are configured for connection with an existing tree stand support system; and

wherein at least one of said upper and lower corners of said sling seat are removably attached to said plurality of fittings on one of said upper and lower frame members by said attachment elements.

51. (Previously Presented) A recliner seat according to claim 50, wherein said fittings are configured such that said sling seat may be positioned in a plurality of configurations while said attachment elements are engaged with said fittings.

52. (Cancelled)

53. (Previously Presented) A recliner seat according to claim 50, wherein said lower member comprises means for attaching said support frame to said existing tree stand support systems.

54. (Amended) A recliner seat according to claim 50, wherein said flexible sling seat contains means for attaching ~~is capable of attachment and detaching detachment to~~ said fittings on at least said lower member of said rectangular support frame allowing a user to sit in a plurality of positions and allowing said sling seat to be removed from said fittings on said lower member for standing on said existing tree stand support systems.

55. (Previously Presented) A recliner seat according to claim 50, wherein said sling seat comprises a material capable of supporting a user.

56. - 57. (Cancelled)

58. (Previously Presented) A recliner seat according to claim 50, wherein said attachment elements comprise knobs.

59. - 62. (Cancelled)

63. (Previously Presented) A recliner seat according to claim 50, wherein said fittings on said lower member each comprises a plurality of positions for supporting said attachment elements extending from said lower corners of said sling seat such that a plurality of seating configurations may be chosen by the user.

64. (Previously Presented) A recliner seat according to claim 50, wherein at least one of said lower members is affixed to said tree stand support system.

65. (Previously Presented) A recliner seat according to claim 1, wherein said rectangular support frame lower is collapsible for ease of transport and storage.

66. (Previously Presented) A recliner seat according to claim 43, wherein said knobs on said upper flexible elements are positioned such that said knobs engage said fittings on said upper member of said support frame, and wherein said knobs on said lower flexible elements are positioned such that said knobs engage said fittings on said lower member of said support frame.

67. (Previously Presented) A recliner seat according to claim 58, wherein said knobs on said upper attachment elements are positioned such that said knobs engage said fittings on said upper members, and wherein said knobs on said lower attachment elements are positioned such that said knobs engage said fittings on said lower members.